

CONFORMED

SUBMITTER

LIFETIME BRANDS INC.
 1000 STREET AVENUE, GARDEN CITY, NEW YORK, 02155, UNITED STATES



COSTCO ITEM NUMBER

215738

PRODUCT DESCRIPTION

MIKASA KYLER 20PC BONE CHINA

EXECUTIVE SUMMARY

The sample(s) MEET all the tested requirement(s).

REMARKS

This report covers the evaluation of product quality and labeling review on the submitted sample .

DESCRIPTION OF PACKAGE:

Full overlap master container is glued at seam joints and secured by tongue. (See Enclosed Photos 2-5)

VISUAL PRODUCT/PACKAGE REVIEW PRIOR TO TESTING:

Sample Product: All Mikasa Kyler 20pc Bone China inside master container are not damaged.

Packaging: The packaging materials inside master container are not damaged.

VISUAL PRODUCT/PACKAGE REVIEW AFTER TESTING:

Sample Product: All Mikasa Kyler 20pc Bone China inside master container are not damaged after tests.

Packaging: The packaging materials inside master container are not damaged after tests.

DESCRIPTION OF SAMPLE PRODUCT AND PACKAGING MATERIAL:

The sample product and the inner packaging material are shown in the photos. (See Enclosed Photos 5-28)

Quantity of master pack: 1 set of Mikasa Kyler 20pc Bone China.

FAILED PROPERTY: NONE

The package is rated as **Good** with no noticeable damage noted after drop test per ISTA test procedure 1A.





**BUREAU
VERITAS**

**GENERAL
INFORMATION**

Cora Xu / May Kuang
(+86)755-86185273 / 86185270
E-mail:
Cora.xu@bureauveritas.com
May.kuang@bureauveritas.com

**Test Report: (8525)105-0340
COSTCO WHOLESALE CORPORATION**

Received Date: April 15, 2025
Report Date: April 24, 2025

SIGNATURES BUREAU VERITAS SHENZHEN CO., LTD

Sure Fu
SENIOR TECHNICAL MANAGER
HARDLINES DIVISION



BUREAU
VERITAS

Test Report: (8525)105-0340
COSTCO WHOLESALE CORPORATION

Received Date: April 15, 2025

Report Date: April 24, 2025

TEST TYPE	HL
COUNTRY OF DESTINATION	.au;Australia
IS ITEM CPSIA REGULATED	N
SAMPLE STATUS	PRODUCTION
SAMPLE SUBMITTED BY	Supplier
SAMPLES FROM A SAMPLE COLLECTION	Yes
SAMPLE SELECTION REPORT NO.	10251001081
INSPECTION PULL	/
INSPECTION REPORT NUMBER	/
ADDITIONAL SAMPLE DIRECTLY SUBMITTED BY SUPPLIER	/
DEPARTMENT NO.	32 - Housewares
COUNTRY OF ORIGIN	CHINA
TEST REQUEST NUMBER	202502-D32-00982
WITH PACKAGING	Yes
DOE APPLICABLE	/
CCMS # (If applicable)	/
CCMS TEMPLATE DESCRIPTION (PRODUCT CATEGORY)	/
PRODUCT SPECIFIC CERTIFICATION NUMBER	/
CEC APPLICABLE	/
MAEDBS TEMPLATE DESCRIPTION (PRODUCT CATEGORY)	/
PRODUCT SPECIFIC MODEL NUMBER	/
SUPPLIER COMPANY NAME	Lifetime Brands Inc
SUPPLIER DIVISION NAME	LIFETIME BRANDS INC (USA GARDEN CITY NY)
FACTORY COMPANY NAME	Yingxian Tongsheng Ceramic Co Ltd
FACTORY LOCATION NAME	Yingxian Tongsheng Ceramic Co Ltd
FACTORY ADDRESS	SOUTH DAWANG ROAD, WEST YINGLI ROAD, NANHEZHONG TOWN, YING SHUOZHOU, SHANXI 37600 CHINA
ASSORTMENT	N/A
PACKAGE DIMENSIONS(IN)	12 inches x 12 inches x 12-1/2 inches



**BUREAU
VERITAS**

Test Report: (8525)105-0340
COSTCO WHOLESALE CORPORATION

Received Date: April 15, 2025

Report Date: April 24, 2025

PACKAGE WEIGHT(LBS)	20.5 Lbs.
IS THIS A RE-TEST	No
CHARGE SUPPLIER	Yes
REVISED REPORT	No
REASON FOR REVISION	/
REASON FOR ADDENDUM	/
PROTOCOL NUMBER	CSCO-HL-PTCL-06001-GBL-FOOD CONTACT REGULATORY-V220, CSCO-HL-PTCL-06150-GBL-TABLEWARE PERFORMANCE PROTOCOL-V99, CSCO-AN-PTCL-06504.11-GBL-PFAS SUPPLEMENTAL-V37, CSCO-HL-PTCL-09000-GBL-TRANSIT-V41
ORIGINAL REPORT NUMBER	/



BUREAU
VERITAS

Test Report: (8525)105-0340. COSTCO WHOLESALE CORPORATION

Received Date: April 15, 2025

Report Date: April 24, 2025

COSTCO RATING SUMMARY

COUNTRY OF DESTINATION

USA	N/A	Canada	N/A	Mexico	N/A
UK	N/A	France	N/A	Spain	N/A
Korea	N/A	.jp	N/A	Taiwan	N/A
Iceland	N/A	China	N/A	Japan	N/A
.com	N/A	.ca	N/A	.mx	N/A
.uk	N/A	.tw	N/A	.kr	N/A
Australia	CONFORMED	New Zealand	N/A	.au	CONFORMED
Sweden	N/A	Business Delivery	N/A		

PRODUCT CHEMICAL SCREENING OVERALL RATING

Destination on Report	Regulation	Screening Protocol
N/A	N/A	N/A
Destination on Test Request	Regulation	Screening Protocol
N/A	N/A	N/A

PACKAGING MATERIAL SMART SCREENING OVERALL RATING

US(TPCH)	EU(EC94/62)	Packaging Screening Protocol
N/A	N/A	N/A



Test Report: (8525)105-0340 COSTCO WHOLESALE CORPORATION

Received Date: April 15, 2025

Report Date: April 24, 2025

TEST RESULTS SUMMARY TABLE FOR MIKASA KYLER 20PC BONE CHINA

TEST PROTOCOLS

CSCO-HL-PTCL-06001-GBL-FOOD CONTACT REGULATORY-V220, CSCO-HL-PTCL-06150-GBL-TABLEWARE PERFORMANCE PROTOCOL-V99, CSCO-AN-PTCL-06504.11-GBL-PFAS SUPPLEMENTAL-V37, CSCO-HL-PTCL-09000-GBL-TRANSIT-V41

TEST NAME

OVERALL RATINGS

REGULATORY STANDARDS

Product description (Commerce (Trade Description) Regulations, 2016)	CONFORMED
Marking of measurement (National Trade Measurement Regulations 2009)	CONFORMED
Country of origin marking (Commerce (Trade Description) Regulations, 2016)	CONFORMED
Asbestos-Doc (Australia Customs Regulation 1956)	CONFORMED
Extractable lead and cadmium in ceramic (Australia Customs (Prohibited Imports) Regulations 1956)	CONFORMED
Plastic bag warning statement (Client requirement)	N/A
Degradable Plastic Labeling Requirements - doc (FTC Green Guides / California's Public Resources Code (PRC) Sec 42355-42358.5) CSCO-HL-06001-GBL,CSCO-HL-06150-GBL	N/A
Solids - Flammability (16 CFR 1500.3(c)(6)(vi) / 16 CFR 1500.44)	N/A
Name and address marking (National Trade Measurement Regulations 2009)	N/A

VOLUNTARY & COSTCO STANDARDS

Minimum Language (Costco requirement) CSCO-HL-06001-GBL,CSCO-HL-06150-GBL	CONFORMED
Costco distribution address (Costco requirement) CSCO-HL-06001-GBL,CSCO-HL-06150-GBL	CONFORMED
Accuracy of Label Information (Costco requirement) CSCO-HL-06001-GBL,CSCO-HL-06150-GBL	CONFORMED
Costco item number verification (Costco requirement)	CONFORMED
Claim verification - level 3 (Various methods as appropriate for claim)	CONFORMED
Information on packaging and instruction (CPSD-GB-01057-MTHD) CSCO-HL-06001-GBL,CSCO-HL-06150-GBL	CONFORMED
Costco item number (Costco requirement) CSCO-HL-06001-GBL,CSCO-HL-06150-GBL	CONFORMED
Superdry desiccants (Costco requirement) CSCO-HL-06001-GBL,CSCO-HL-06150-GBL	CONFORMED
Australia - Importer/ Distribution address (Costco requirement) CSCO-HL-06001-GBL,CSCO-HL-06150-GBL	CONFORMED
Costco product specifications (Costco requirement)	CONFORMED
Sharp points and sharp edges (Costco requirements with reference to 16 CFR 1500.48/49)	CONFORMED
Dimensions - length (CPSD-GB-01056-MTHD) CSCO-HL-06150-GBL	CONFORMED
Dimensions - width (CPSD-GB-01056-MTHD) CSCO-HL-06150-GBL	CONFORMED
Capacity - volumetric (CPSD-HL-06000-MTHD)	CONFORMED
Warpage (Visual)	CONFORMED
Presence of silica desiccant (CPSD-GB-01057-MTHD) CSCO-HL-06001-GBL,CSCO-HL-06150-GBL	CONFORMED
Design or features (CPSD-GB-01057-MTHD)	CONFORMED
Level (CPSD-GB-01057-MTHD)	CONFORMED
Dishwasher exposure (Dishwasher cycling, visual exam)	CONFORMED
Microwave exposure (EN 15284:2007 (Mod))	CONFORMED
Stain resistance (CPSD-HL-01015-MTHD)	CONFORMED
Thermal shock (Oven, cold water immersion) CSCO-HL-06150-GBL	CONFORMED
Leakage test (CPSD-GB-01058-MTHD)	CONFORMED



Test Report: (8525)105-0340 COSTCO WHOLESALE CORPORATION

Received Date: April 15, 2025
Report Date: April 24, 2025

Surface scratching (Slide article on surface, visual exam)	CONFORMED
3 oz impact resistance test - glass or ceramic (CPSD-HL-01028-MTHD)	CONFORMED
Defects (CPSD-GB-01057-MTHD)	CONFORMED
Inspection - packaged product (CPSD-GB-01057-MTHD)	CONFORMED
Inspection - over packaging (CPSD-GB-01057-MTHD)	CONFORMED
Packaged-products 150 lb or less (ISTA 1A - 2014 (Ed Jan 2016) Seq. 3 (Mod) / Costco requirement)	CONFORMED
Hazards (CPSD-GB-01057-MTHD)	CONFORMED
Specific or supplemental net quantity requirements (Costco requirement)	CONFORMED
Dimensions - thickness (CPSD-GB-01056-MTHD) CSCO-HL-06150-GBL	DATA
Dimensions - interior - depth (CPSD-GB-01056-MTHD)	DATA
Dimensions - height (CPSD-GB-01056-MTHD)	DATA
Weight (CPSD-GB-01056-MTHD) CSCO-HL-06150-GBL	DATA
Material type (CPSD-GB-01057-MTHD)	DATA
Type of finishes (CPSD-GB-01057-MTHD)	DATA
Mold prevention unit requirement (CPSD-GB-01057-MTHD) CSCO-HL-06001-GBL,CSCO-HL-06150-GBL	DATA
Labeling - packaged product (CPSD-GB-01057-MTHD)	DATA
Labeling - over packaging (CPSD-GB-01057-MTHD)	DATA
Dimensions - width (CPSD-GB-01056-MTHD) CSCO-HL-09000-GBL	DATA
Dimensions - depth (CPSD-GB-01056-MTHD)	DATA
Dimensions - length (CPSD-GB-01056-MTHD) CSCO-HL-09000-GBL	DATA
Weight (CPSD-GB-01056-MTHD) CSCO-HL-09000-GBL	DATA
Material type - composition (CPSD-GB-01057-MTHD)	DATA
Material face color (CPSD-GB-01057-MTHD)	DATA
Dimensions - thickness (CPSD-GB-01056-MTHD) CSCO-HL-09000-GBL	DATA
Bursting strength (TAPPI T810 om-22 (Mod))	DATA
TAPPI T839 om-24 (Mod) (TAPPI T839 om-24 (Mod))	DATA
Accuracy or adequacy of instructions (CPSD-GB-01057-MTHD) CSCO-HL-06001-GBL,CSCO-HL-06150-GBL	N/A
Seal of attachment or rivets (CPSD-GB-01057-MTHD)	N/A
Handle strength - loaded (CPSD-HL-01027-MTHD)	N/A
Thermal shock (Oven, cold water immersion) CSCO-HL-06150-GBL	N/A
Heat application (Boiling water exposure)	N/A
Tilt resistance (CPSD-HL-01011-MTHD)	N/A
Tipping over (ASTM F963-23 Sec. 8.7.2.1 (Mod))	N/A
Material specification tests - cold (CPSD-GB-01058-MTHD)	N/A
Material specification tests - hot (CPSD-GB-01058-MTHD)	N/A
Effects of hand washing (CPSD-HL-01016-MTHD)	N/A
Coating adhesion test (ASTM D3359-23 (Mod))	N/A
Water absorption (ASTM C373-18(R2023) (mod))	N/A
Description (CPSD-GB-01057-MTHD)	N/A



Test Report: (8525)105-0340 COSTCO WHOLESALE CORPORATION

Received Date: April 15, 2025
Report Date: April 24, 2025

Over-packaged (CPSD-GB-01057-MTHD)	N/A
Condition (CPSD-GB-01057-MTHD)	N/A
Packaged-products 150 lb or less (ISTA 1A - 2014 (Ed Jan 2016) Sequence 2 and 3)	N/A
Packaged-products 150 lb or less (ISTA 1A - 2014 (Ed Jan 2016) Seq. 3 (Mod))	N/A
Packaged-products over 150 lb (ISTA 1B - 2014 (Ed Jan 2016) Sequence 2 and 3)	N/A
Stability (ASTM D1083-91 (R1998))	N/A
Tip Over (Only If Item Fails Stability Test) (ASTM D1083-91 (R1998))	N/A
Rotational Flat Impact (ASTM D1083-91 (R1998))	N/A
Vibration (NMFTA 180 Sec. 1 Method B part 2)	N/A
Condition of Product (Unassembled) (CPSD-GB-01057-MTHD)	N/A
Condition of Shipping Carton Inspection (CPSD-GB-01057-MTHD)	N/A
Condition of interior packaging material (CPSD-GB-01057-MTHD)	N/A
Packaged-products for parcel delivery system shipment 150 lb or less - standard, flat or elongated (ISTA 3A-2018)	N/A
Packaged-products for parcel delivery system shipment 150 lb or less - small (ISTA 3A-2018)	N/A
Packaged-product for less-than-truckload shipment - standard, 200 lb or less (ISTA 3B-2017)	N/A
Packaged-product for less-than-truckload shipment - standard, over 200 lb (ISTA 3B-2017)	N/A
Packaged-product for less-than-truckload shipment - cylindrical (ISTA 3B-2017)	N/A
Packaged-product for less-than-truckload shipment - palletized or skidded (ISTA 3B-2017)	N/A
Generalized E-commerce retailer fulfillment test – parcel delivery of individual packaged products less than 10 lb – Type Small (ISTA 3L-2023)	N/A
Generalized E-commerce retailer fulfillment test – parcel delivery of individual packaged products less than 50 lb – Type A (ISTA 3L-2023)	N/A
Generalized E-commerce retailer fulfillment test – parcel delivery of individual packaged products 50 lb to less than 100 lb – Type B (ISTA 3L-2023)	N/A
Generalized E-commerce retailer fulfillment test – parcel delivery of individual packaged products 100 lb to less than 150 lb – Type C (ISTA 3L-2023)	N/A
Generalized E-commerce retailer fulfillment test – LTL delivery of individual packaged products less than 100 lb – Type D (ISTA 3L-2023)	N/A
Generalized E-commerce retailer fulfillment test – LTL delivery of individual packaged products 100 lb or greater – Type E (ISTA 3L-2023)	N/A
Generalized E-commerce retailer fulfillment test – LTL delivery of individual palletized packaged products – Type F (ISTA 3L-2023)	N/A
Generalized E-commerce retailer fulfillment test – Parcel delivery of individual packaged TV/monitor less than 150 lbs and girth less than 165 in – Type G (ISTA 3L-2023)	N/A
Generalized E-commerce retailer fulfillment test – LTL delivery of individual packaged TV/monitor greater than 150 lbs or girth greater than 165 in – Type H (ISTA 3L-2023)	N/A
Inspection of electrical samples after testing (CPSD-GB-01057-MTHD)	N/A
Audible drop damage (Audio)	N/A
Kirkland signature logos and signature guarantees evaluation (Visual)	N/A
NSF Home certification marked product verification-Doc (CPSD-GB-00001-MTHD)	N/A
Bisphenol A (In-house method)	N/A
Total lead in surface coating (CPSC-CH-E1003-09.1)	N/A
Total fluorine (EN 14582:2016)	N/A
Perfluorinated compounds (PFCs) (In house method)	N/A
Perfluoroalkyl and polyfluoroalkyl substances (PFAS) (EN 17681-2:2022 / EN 17681-1:2022 / ISO	N/A



Test Report: (8525)105-0340
COSTCO WHOLESALE CORPORATION

Received Date: April 15, 2025
Report Date: April 24, 2025

23702-1:2023 (Mod) CSCO-AN-06504.11-GBL

Total organic fluorine (EN 14582:2016)

N/A

Perfluoroalkyl and polyfluoroalkyl substances (PFAS) (EN 17681-2:2022 / EN 17681-1:2022 / ISO

23702-1:2023 (Mod) CSCO-AN-06504.11-GBL

N/A



**BUREAU
VERITAS**

Test Report: (8525)105-0340 COSTCO WHOLESALE CORPORATION

Received Date: April 15, 2025

Report Date: April 24, 2025

SUMMARY FOR PACKAGING MATERIALS

PACKAGING MATERIALS / COMPONENTS	Submitted by supplier? (Yes/No)	Tested? (Yes/No)
Master Carton	NO	NO
Polybag	NO	NO
Ink used for Printing of Polybag – all colors	NO	NO
Blister (clamshell)	NO	NO
Blister card – all designs or styles	NO	NO
Instruction sheet	NO	NO
Printed label for different designs or styles	NO	NO
Adhesive tape for different styles and sizes	NO	NO
Insert card for different designs or styles	NO	NO
Tissue paper – all colors	NO	NO
Logo card for different designs or styles	NO	NO
Window box with window sheet for different designs or styles	NO	NO
Plastic screw holder for different color	NO	NO
Hang Tag	NO	NO
Cable Tie	NO	NO
Staples	NO	NO
Plastic wire or Metal wire (twist ties)	NO	NO
Plastic (Banding Strap)	NO	NO
Plastic Fastener used to tighten banding straps	NO	NO
Ink used for printing of Master Carton – all colors	NO	NO
Others	NO	NO



Test Report: (8525)105-0340 COSTCO WHOLESALE CORPORATION

Received Date: April 15, 2025

Report Date: April 24, 2025

TEST RESULTS FOR MIKASA KYLER 20PC BONE CHINA

TESTED PROPERTY	REQUIREMENTS	RESULTS	RATING
Minimum Language (Costco requirement)			
	CSCO-HL-06001-GBL,CSCO-HL-06150-GBL [All countries] USA: English Canada: English- but follow legal French and English bilingual requirements Mexico: Spanish Australia: English UK: English Spain: Spanish France: French Sweden: Swedish (only warnings, cautions, instructions and manuals need to be translated into Swedish. All other text does not have to be in Swedish.) Iceland: Icelandic (only Costco Iceland address is required in Icelandic language) Korea: Korean Japan: Japanese Taiwan: Traditional Chinese New Zealand: English	A:Meet	CONFORMED

Costco distribution address (Costco requirement)

	CSCO-HL-06001-GBL,CSCO-HL-06150-GBL [If present] The Costco distribution address shall be same as the address in special instruction for the relative importing countries. Note: 1. Costco Iceland Address is required on products imported into Iceland. Fail if no Iceland or other EU address is present. 2. Please follow below when destination is Taiwan: · KS items, the .com address is required so should be reviewed by the lab · For non Kirkland Signature items, the .com address does not need to be present and can pass with no review by the lab	A:Meet	CONFORMED
--	--	--------	-----------

Accuracy of Label Information (Costco requirement)

	CSCO-HL-06001-GBL,CSCO-HL-06150-GBL If there is a measurement unit, it should be clearly marked as a word (inch, cm, feet, etc.) instead of symbols (' and/or ", etc). Check product dimension printed on all package materials, including the backs of tags or in other languages, it should be present both in Metric and in Imperial.	A:Meet	CONFORMED
--	--	--------	-----------

Costco item number verification (Costco requirement)

	CSCO-HL-06150-GBL Must be present and list UPC and item number per Costco	A:Meet	CONFORMED
--	--	--------	-----------



Test Report: (8525)105-0340 COSTCO WHOLESALE CORPORATION

Received Date: April 15, 2025

Report Date: April 24, 2025

TEST RESULTS FOR MIKASA KYLER 20PC BONE CHINA

TESTED PROPERTY	REQUIREMENTS	RESULTS	RATING
	<p>Wholesale on retail packaging and /or hang tag, to be available at the point of the sales. Report placement and verify if placement meets any specifications. The item number on the package should be consistent with the item number listed on the TRF.</p> <p>Note: The only exception is the D36 items and displays products because they will often have an item number listed for the actual item, rather than the display item number.</p>		

Claim verification - level 3 (Various methods as appropriate for claim)

Claim	<p>CSCO-HL-06150-GBL Examine the retail packaging (or submitted artwork).</p> <p>Record each objective (factual) claim which can be substantiated by the testing within this protocol and rate accordingly. Any net quantity/dimensional claims evaluated in other sections of this protocol need not be recorded.</p> <p>In lieu of additional testing, vendor shall provide test report/ certificate to support the claim. If none provided, then to proceed with testing when there is no increase in the TAT, no subcontracting, and the additional testing does not exceed \$200 USD. If the additional testing exceeds \$200 USD, contact Costco NFQA with the claim, proposed method and quote.</p> <p>For additional test which not feasible to be verify by test, documentation dated within one year should be requested from vendor. If the vendor does not provide valid documentation for verification, then letter of guarantee (LoG) could be collect from vendor.</p> <p>A product mark cannot be used without documentation. Scan the provided documentation into the report and ensure it is legible and in English for Costco to review. If appropriate documentation is not provided, report the claim as "NM – Documentation not provided" and rate as "UNSATISFACTORY".</p> <p>Note: A 'product mark' includes, but is not limited to the types of logos shown on the following website: https://www.ecolabelindex.com/ecolabels/</p> <p>Any objective claim not tested at the request of the client, shall be recorded as "Not Tested Per Client Request" and listed in the failure executive summary of the report. All subjective (opinion) claims shall be recorded as "NT" for not Tested and listed in the failure executive summary of the report.</p> <p>Note: Additional charges may apply. All client confirmations or questions should be directed to NFQA only. (not regional Costco team)</p> <p>Modification = client requirement to include product marks if an objective claim is listed in the mark</p>	Meet See claim data table	CONFORMED
-------	---	------------------------------	-----------

TEST RESULTS FOR MIKASA KYLER 20PC BONE CHINA

TESTED PROPERTY	REQUIREMENTS	RESULTS	RATING
-----------------	--------------	---------	--------



Information on packaging and instruction (CPSD-GB-01057-MTHD)

	CSCO-HL-06001-GBL,CSCO-HL-06150-GBL - Information (including words, statement, or pictures etc.) on the packaging and instructions shall be consistent with the product. Contradicting information is not accepted. - Misspelled words are not permitted. - Poor grammar is not permitted.	A:Meet	CONFORMED
--	---	--------	-----------


Costco item number (Costco requirement)

	CSCO-HL-06001-GBL,CSCO-HL-06150-GBL Shall have Costco item number on the packaging.	A:Meet	CONFORMED
--	--	--------	-----------

Superdry desiccants (Costco requirement)

CSCO-HL-06001-GBL,CSCO-HL-06150-GBL				A:Meet	CONFORMED
Rate as pass for the desiccant is powder or cake or gel form. Report the form and include the image of the sample in the report.				Hard gel	
If desiccant become whole gel form, 300% moisture absorption rate, it would consider as fail.					
Moisture absorption rate	Description	Picture	Texture	Pass/ referenceFail	
60-100%	Hard gel		Solid glue	Pass	
>100%	Soft gel		Jelly	Pass	

TEST RESULTS FOR MIKASA KYLER 20PC BONE CHINA

TESTED PROPERTY	REQUIREMENTS		RESULTS	RATING
300% Whole gel			Jelly Fail	

Australia - Importer/ Distribution address (Costco requirement)

CSCO-HL-06001-GBL,CSCO-HL-06150-GBL	A:Meet	CONFORMED
<p>Must indicate Importer or Distributor information, including name and address of the responsible party bringing the goods into Australia for Costco.</p> <p>This can be the Costco information from the Non-Foods Distribution address or the suppliers.</p> <p>The address must be a street address within Australia. Post office boxes, email and website addresses are not permitted as substitutes for street addresses.</p>		

Costco product specifications (Costco requirement)

CSCO-HL-06150-GBL	A:Meet	CONFORMED
<p>If product specifications are supplied, then the information on the specifications for ALL the components and ALL the parameters shall be verified and must be reported here and indicated as conforming to the actual sample (-0%, +3%), report as Pass/Fail.</p>		

Labeling - packaged product (CPSD-GB-01057-MTHD)

CSCO-HL-09000-GBL [Packaged Product] Label identifying a "Packaged product for drop / vibration testing"	B:DATA Non-Labeled	DATA
--	-----------------------	------

Labeling - over packaging (CPSD-GB-01057-MTHD)

CSCO-HL-09000-GBL [Over Packaging] Label identifying an "Over-packaged product for drop / vibration testing" (Costco Requirement: Yes/No - Desired Not Required)	B:DATA Yes	DATA
---	---------------	------



Test Report: (8525)105-0340 COSTCO WHOLESALE CORPORATION

Received Date: April 15, 2025

Report Date: April 24, 2025

TEST RESULTS FOR MIKASA KYLER 20PC BONE CHINA

TESTED PROPERTY	REQUIREMENTS	RESULTS	RATING
-----------------	--------------	---------	--------

Inspection - packaged product (CPSD-GB-01057-MTHD)

	CSCO-HL-09000-GBL [Packaged Product] No major defects / No Breaks in or crushing of the packaging.	B:Meet	CONFORMED
--	--	--------	-----------

Inspection - over packaging (CPSD-GB-01057-MTHD)

	CSCO-HL-09000-GBL [Over Packaging] No major defects / No breaks in or crushing of the over-packaging	B:Meet	CONFORMED
--	--	--------	-----------

Specific or supplemental net quantity requirements (Costco requirement)

	CSCO-HL-06001-GBL [Retail package clear presentation of selling unit contents or piece count] Net quantity of contents shall be expressed in terms of weight or mass, measure, numerical count or combination so as to give accurate information to facilitate consumer comparison (U.S. and metric units).	A:Meet	CONFORMED
--	---	--------	-----------

Product description (Commerce (Trade Description) Regulations, 2016)

	CSCO-HL-06001-GBL Imported goods shall be marked with a product description.	A:Meet	CONFORMED
--	---	--------	-----------

Marking of measurement (National Trade Measurement Regulations 2009)

	CSCO-HL-06001-GBL If a prepacked product is packed or sold, the packaging containing the product must be marked with a statement of the measurement of the product. Metric units shall be used.	A:Meet	CONFORMED
--	--	--------	-----------

Country of origin marking (Commerce (Trade Description) Regulations, 2016)

	CSCO-HL-06001-GBL Imported goods shall be marked with the name of the country in which the goods were made or produced.	A:Meet	CONFORMED
--	--	--------	-----------

Asbestos-Doc (Australia Customs Regulation 1956)

Document Review	Per client, test report can be submitted if dated within 1yr in proving conformity of asbestos req. of Australia Customs	A:Meet (Document was provided)	CONFORMED
-----------------	--	-------------------------------------	-----------

TEST RESULTS FOR MIKASA KYLER 20PC BONE CHINA

TESTED PROPERTY	REQUIREMENTS	RESULTS	RATING
	Reg. 1956, Reg. 4C for certain high risk prod'ts.		

Remark(s):

A:MEET (Document was provided)

Extractable lead and cadmium in ceramic (Australia Customs (Prohibited Imports) Regulations 1956)

	CSCO-HL-06001-GBL Glazed ceramic articles shall not exceed one of below extractable lead and cadmium limits based on product type.	Meet	CONFORMED
--	---	------	-----------

Test Item(s)	Item / Component Description(s)	Location(s)	Style(s)
N/A	N/A	N/A	N/A

Extractable Element(s)	Lead (Pb)	Cadmium (Cd)	--
Requirement(s) (mg/L) (Every trial)	Type I Flatwares	Maximum 20.0	Maximum 2.0
	Type II Hollowwares having Capacity less than 1100 mL	Maximum 7.0	Maximum 0.7
	Type III Hollowwares having Capacity equal to or in excess of 1100 mL	Maximum 2.0	Maximum 0.2
	Type IV Cooking ware	Maximum 7.0	Maximum 0.7

Test Item(s)	Type	Trial(s) / Specimen	Result(s)				Conclusion
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

Key(s) :

Detection Limit (mg/L) - Pb : 0.05 ; Cd : 0.01

Remark(s):

- Test Item(s) was (were) tested according to British Standards BS 4860-1: 1972 and BS 4860-2:1972.

Sharp points and sharp edges (Costco requirements with reference to 16 CFR 1500.48/49)

	CSCO-HL-06150-GBL Products, that have no applicable regulatory or standard concerning the sharp point and edges requirement, shall have no sharp edges or sharp points on any component in the as receive state other than those required for functional use. Costco requirement	A:Meet	CONFORMED
--	--	--------	-----------

Dimensions - length (CPSD-GB-01056-MTHD)

	CSCO-HL-06150-GBL Report overall length. Shall comply with any claims (-0%, +3%)	A:Meet See table 1	CONFORMED
--	---	-----------------------	-----------



Test Report: (8525)105-0340 COSTCO WHOLESALE CORPORATION

Received Date: April 15, 2025

Report Date: April 24, 2025

TEST RESULTS FOR MIKASA KYLER 20PC BONE CHINA

TESTED PROPERTY	REQUIREMENTS	RESULTS	RATING
-----------------	--------------	---------	--------

Dimensions - width (CPSD-GB-01056-MTHD)

	CSCO-HL-06150-GBL Report overall width. Shall comply with any claims (-0%, +3%)	A:Meet See table 1	CONFORMED
--	--	-----------------------	-----------

Dimensions - thickness (CPSD-GB-01056-MTHD)

	CSCO-HL-06150-GBL Report actual. Shall comply with any claims (-0%, +3%)	A:DATA See table 1	DATA
--	---	-----------------------	------

Dimensions - interior - depth (CPSD-GB-01056-MTHD)

	CSCO-HL-06150-GBL Report actual. Shall comply with any claims (-0%, +3%)	A:DATA See table 1	DATA
--	---	-----------------------	------

Dimensions - height (CPSD-GB-01056-MTHD)

	CSCO-HL-06150-GBL Report actual. Shall comply with any claims (-0%, +3%)	A:DATA See table 1	DATA
--	---	-----------------------	------

Weight (CPSD-GB-01056-MTHD)

	CSCO-HL-06150-GBL [Weight - total or overall] Report actual. Shall comply with any claims (-0%, +3%)	A:DATA See table 1	DATA
--	--	-----------------------	------

Capacity - volumetric (CPSD-HL-06000-MTHD)

	CSCO-HL-06150-GBL Report actual. Shall comply with any claims (-0%, +3%)	A:Meet See table 1	CONFORMED
--	---	-----------------------	-----------

Material type (CPSD-GB-01057-MTHD)

	CSCO-HL-06150-GBL Report materials used on body, handles, bases, etc. Shall meet specified claims.	A:DATA Ceramic	DATA
--	---	-------------------	------



Test Report: (8525)105-0340 COSTCO WHOLESALE CORPORATION

Received Date: April 15, 2025

Report Date: April 24, 2025

TEST RESULTS FOR MIKASA KYLER 20PC BONE CHINA

TESTED PROPERTY	REQUIREMENTS	RESULTS	RATING
-----------------	--------------	---------	--------

Type of finishes (CPSD-GB-01057-MTHD)

	CSCO-HL-06150-GBL Report finish on each component, internal and external. Shall meet specified claims.	A:DATA Glazed	DATA
--	---	------------------	------

Mold prevention unit requirement (CPSD-GB-01057-MTHD)

	CSCO-HL-06001-GBL,CSCO-HL-06150-GBL -Record if a mold prevention unit was used. If present, ask the supplier if silica gel was used (yes/ no). -For all countries, FAIL if silica was used. -For EU goods, compare findings with SVCH/REACH Declaration of Conformity if Silica Gel is present. -If no desiccant is present, lab should request the supplier to provide declaration of conformity (DoC). If supplier is unable or unwilling to provide the lab will rate as FAIL.	A:DATA Desiccant was provided, vendor confirmed wo silica gel was used	DATA
--	--	--	------

Warpage (Visual)

	CSCO-HL-06150-GBL [Top] Should appear even and uniform when stacked. When turned upside down on a flat surface the maximum gap each piece shall be 1/16" (for the longest dimension of the product is 12" or less) or 1/4" (for the longest dimension of the product is over 12")	A:Meet	CONFORMED
--	---	--------	-----------

Dimensions - width (CPSD-GB-01056-MTHD)

	CSCO-HL-09000-GBL [Dimensions - Width] [Packaged Product] [Physical Dimensions] [In.] Standard Measure.	B:DATA 12"	DATA
--	--	---------------	------

Dimensions - depth (CPSD-GB-01056-MTHD)

	CSCO-HL-09000-GBL [Dimensions - Depth] [Packaged Product] [Physical Dimensions] [In.] Standard measure.	B:DATA 12-1/2"	DATA
--	--	-------------------	------



Test Report: (8525)105-0340 COSTCO WHOLESALE CORPORATION

Received Date: April 15, 2025

Report Date: April 24, 2025

TEST RESULTS FOR MIKASA KYLER 20PC BONE CHINA

TESTED PROPERTY	REQUIREMENTS	RESULTS	RATING
-----------------	--------------	---------	--------

Dimensions - length (CPSD-GB-01056-MTHD)

CSCO-HL-09000-GBL [Dimensions - Length] [Packaged Product] [Physical Dimensions] [In.] Standard measure.	B:DATA 12"	DATA
---	---------------	------

Weight (CPSD-GB-01056-MTHD)

CSCO-HL-09000-GBL [Packaged Product] [Physical Dimensions] [Lbs] Standard measure.	B:DATA 20.5 Lbs.	DATA
--	---------------------	------

Material type - composition (CPSD-GB-01057-MTHD)

CSCO-HL-09000-GBL [Packaged Product] [Material Qualities] Inspection / Identification	B:DATA Double Wall- Corrugated Board	DATA
--	--	------

Material face color (CPSD-GB-01057-MTHD)

CSCO-HL-09000-GBL [Material qualities] Inspection / Identification.	B:DATA Multi Color	DATA
---	-----------------------	------

Dimensions - thickness (CPSD-GB-01056-MTHD)

CSCO-HL-09000-GBL [Dimensions - thickness] [Packaged Product] [Material Qualities] [mm] Inspection / Identification.	B:DATA 0.190"	DATA
---	------------------	------

Presence of silica desiccant (CPSD-GB-01057-MTHD)

CSCO-HL-06001-GBL,CSCO-HL-06150-GBL [If desiccant pack is present] Specified statements shall be printed on desiccant pack.	A:Meet	CONFORMED
---	--------	-----------



Test Report: (8525)105-0340 COSTCO WHOLESALE CORPORATION

Received Date: April 15, 2025

Report Date: April 24, 2025

TEST RESULTS FOR MIKASA KYLER 20PC BONE CHINA

TESTED PROPERTY	REQUIREMENTS	RESULTS	RATING
-----------------	--------------	---------	--------

Design or features (CPSD-GB-01057-MTHD)

	CSCO-HL-06150-GBL Design and features of the product should not differ from color box pictures, enclosed instructions, or approval sample in a way that is misleading.	A:Meet	CONFORMED
--	---	--------	-----------

Level (CPSD-GB-01057-MTHD)

	CSCO-HL-06150-GBL Applicable by design - must sit level with no wobbling on a flat level surface. The top must also be level/parallel compared to the bottom.	A:Meet	CONFORMED
--	--	--------	-----------

Dishwasher exposure (Dishwasher cycling, visual exam)

	CSCO-HL-06150-GBL [Except silver-plated, aluminium and cast iron.] [Include Flatware to Simulate extreme heat and moisture] 5 cycles - no breakage or adverse effects. If failure, must include warning label on package - if the laboratory deems appropriate. Costco Requirement: Report Claims. If tested, report results as Good/Unsat and list corresponding data. Note: A slight change in color due to fading or oxidation after dishwasher exposure is allowed. (include photos for reference)	A:Meet	CONFORMED
--	--	--------	-----------

Microwave exposure (EN 15284:2007 (Mod))

	CSCO-HL-06150-GBL [If claimed] Shall not have any noticeable change after test, refer to Table 1. Shall not exceed maximum surface temperature requirements of handle after short period: Ceramic, glass-ceramic or glass: 56 °C Plastic: 60 °C	A:Meet	CONFORMED
--	--	--------	-----------

Stain resistance (CPSD-HL-01015-MTHD)

	CSCO-HL-06150-GBL No permanent staining - Apply mustard, spaghetti sauce to different spots. Let stand 2 hours. Wash 1 cycle in hot dishwasher (or if not dishwasher safe soak 30 min. In hot, soapy water)	A:Meet	CONFORMED
--	--	--------	-----------



Test Report: (8525)105-0340 COSTCO WHOLESALE CORPORATION

Received Date: April 15, 2025

Report Date: April 24, 2025

TEST RESULTS FOR MIKASA KYLER 20PC BONE CHINA

TESTED PROPERTY	REQUIREMENTS	RESULTS	RATING
-----------------	--------------	---------	--------

Thermal shock (Oven, cold water immersion)

	CSCO-HL-06150-GBL [Glass & Ceramic Only, if no claim for oven use] Place empty in a preheated 239° F (115° C) oven, remove @ 1 hour, submerge in room temperature water. No cracking, crazing, melting, discoloration or deformation after 2 Cycles Client requirement: do not test Glassware items such as wine glasses and drinking glasses	A:Meet	CONFORMED
--	--	--------	-----------

Leakage test (CPSD-GB-01058-MTHD)

	CSCO-HL-06150-GBL [Glazed and ceramic items only] If intended to hold liquid, there shall be no leakage when filled with water up to 8 hours for ceramic	A:Meet	CONFORMED
--	--	--------	-----------

Surface scratching (Slide article on surface, visual exam)

	CSCO-HL-06150-GBL No scratching or marring of the wood panel surface (sample scratches the wood panel 3 cycles of 6 in back and forth.) Conduct with and without levelers. Note if levelers become bent or come off. Note any damage / defects (bent/broken levelers). Note: The wood panel should be oak engineered hardwood flooring with a plywood core. Thickness of wood boards between 3/8" and 3/4". Surface finish of wood should be smooth and tested to a minimum 2H pencil hardness. Secure panels underneath each support before cycling.	A:Meet	CONFORMED
--	---	--------	-----------

3 oz impact resistance test - glass or ceramic (CPSD-HL-01028-MTHD)

	CSCO-HL-06150-GBL [Ceramic or glassware] Shall withstand 3 Oz. Impact Force without cracking and /or breakage	A:Meet	CONFORMED
--	---	--------	-----------

Packaged-products 150 lb or less (ISTA 1A - 2014 (Ed Jan 2016) Seq. 3 (Mod) / Costco requirement)

	CSCO-HL-09000-GBL [All countries] [Applicable to D32 product when normal ISTA is not required] [Applicable to glass/crystal/ceramic items] No major defects after the test sequence.	B:Meet Drop Height: 18"	CONFORMED
--	--	----------------------------	-----------



Test Report: (8525)105-0340 COSTCO WHOLESALE CORPORATION

Received Date: April 15, 2025

Report Date: April 24, 2025

TEST RESULTS FOR MIKASA KYLER 20PC BONE CHINA

TESTED PROPERTY	REQUIREMENTS	RESULTS	RATING
-----------------	--------------	---------	--------

Hazards (CPSD-GB-01057-MTHD)

	CSCO-HL-09000-GBL Costco accepts the shipping master carton is fastened with staples. However, if the exposed staples are considered hazardous, it must be reported and fail. If banding is presented, it can be plastic type, metal banding straps or metal banding crimps.	B:Meet	CONFORMED
--	--	--------	-----------

Bursting strength (TAPPI T810 om-22 (Mod))

	CSCO-HL-09000-GBL [By request only][ISTA 3A / 3B / Palletized testing] Report actual Modification = Condition 21 ± 1°C (70 ± 2°F) and 65 ± 2% RH	B:Not Tested	DATA
--	---	--------------	------

TAPPI T839 om-24 (Mod) (TAPPI T839 om-24 (Mod))

	CSCO-HL-09000-GBL [By request only][ISTA 3A / 3B / Palletized testing] Report actual Modification = Condition 21 ± 1°C (70 ± 2°F) and 65 ± 2% R.H.	B:Not Tested	DATA
--	---	--------------	------

Defects (CPSD-GB-01057-MTHD)

	CSCO-HL-06150-GBL Shall Have: - No major defects - No components missing, malformed or fractured - No hardware missing Report (and photograph as required) any workmanship defects	A:Meet	CONFORMED
--	---	--------	-----------



Test Report: (8525)105-0340
COSTCO WHOLESALE CORPORATION

Received Date: April 15, 2025
Report Date: April 24, 2025

ADDITIONAL TEST RESULTS FOR MIKASA KYLER 20PC BONE CHINA

Extractable Lead and Cadmium in Ceramicwares –BS4860-1&2

Tested Item : BOWL-A1
Internal Depth (mm): 50

Unit	Leaching Volume (ml)	Concentration (mg/L)	
		Lead	Cadmium
1	325	<0.05	<0.01
2	325	<0.05	<0.01
3	325	<0.05	<0.01
4	325	<0.05	<0.01
Average	325	<0.05	<0.01

Classification		Maximum Allowable Classification Limit (mg/L)		Conclusion
		Lead	Cadmium	
Cooking ware	Y	7.0	0.7	PASS

ADDITIONAL TEST RESULTS FOR MIKASA KYLER 20PC BONE CHINA

Extractable Lead and Cadmium in Ceramicwares –BS4860-1&2

Tested Item : BOWL-A2

Internal Depth (mm): 59

Unit	Leaching Volume (ml)	Concentration (mg/L)	
		Lead	Cadmium
1	670	<0.05	<0.01
2	670	<0.05	<0.01
3	670	<0.05	<0.01
4	670	<0.05	<0.01
Average	670	<0.05	<0.01

Classification		Maximum Allowable Classification Limit (mg/L)		Conclusion
		Lead	Cadmium	
Cooking ware	Y	7.0	0.7	PASS



Test Report: (8525)105-0340
COSTCO WHOLESALE CORPORATION

Received Date: April 15, 2025
Report Date: April 24, 2025

ADDITIONAL TEST RESULTS FOR MIKASA KYLER 20PC BONE CHINA

Extractable Lead and Cadmium in Ceramicwares –BS4860-1&2

Tested Item : BOWL-A3

Internal Depth (mm): 50

Unit	Leaching Volume (ml)	Concentration (mg/L)	
		Lead	Cadmium
1	1050	<0.05	<0.01
2	1050	<0.05	<0.01
3	1050	<0.05	<0.01
4	1050	<0.05	<0.01
Average	1050	<0.05	<0.01

Classification		Maximum Allowable Classification Limit (mg/L)		Conclusion
		Lead	Cadmium	
Cooking ware	Y	7.0	0.7	PASS



Test Report: (8525)105-0340
COSTCO WHOLESALE CORPORATION

Received Date: April 15, 2025
Report Date: April 24, 2025

ADDITIONAL TEST RESULTS FOR MIKASA KYLER 20PC BONE CHINA

Extractable Lead and Cadmium in Ceramicwares –BS4860-1&2

Tested Item : PLATE-A4

Internal Depth (mm): 16

Unit	Leaching Volume (ml)	Concentration (mg/L)	
		Lead	Cadmium
1	425	<0.05	<0.01
2	425	<0.05	<0.01
3	425	<0.05	<0.01
4	425	<0.05	<0.01
Average	425	<0.05	<0.01

Classification		Maximum Allowable Classification Limit (mg/L)		Conclusion
		Lead	Cadmium	
Cooking ware	Y	7.0	0.7	PASS



Test Report: (8525)105-0340
COSTCO WHOLESALE CORPORATION

Received Date: April 15, 2025
Report Date: April 24, 2025

ADDITIONAL TEST RESULTS FOR MIKASA KYLER 20PC BONE CHINA

Extractable Lead and Cadmium in Ceramicwares –BS4860-1&2

Tested Item : PLATE-A5

Internal Depth (mm): 17

Unit	Leaching Volume (ml)	Concentration (mg/L)	
		Lead	Cadmium
1	570	<0.05	<0.01
2	570	<0.05	<0.01
3	570	<0.05	<0.01
4	570	<0.05	<0.01
Average	570	<0.05	<0.01

Classification		Maximum Allowable Classification Limit (mg/L)		Conclusion
		Lead	Cadmium	
Cooking ware	Y	7.0	0.7	PASS



Test Report: (8525)105-0340 COSTCO WHOLESALE CORPORATION

Received Date: April 15, 2025
Report Date: April 24, 2025

ADDITIONAL TEST RESULTS FOR MIKASA KYLER 20PC BONE CHINA

CLAIM VERIFICATION LEVEL 3				
Type of claim	Claim	Actual	Result	Rating
LEVEL 3	DISHWASHER SAFE	AS CLAIM Comply with dishwasher exposure test	<input checked="" type="checkbox"/> M <input type="checkbox"/> NM <input type="checkbox"/> NT	<input checked="" type="checkbox"/> GOOD <input type="checkbox"/> UNSAT <input type="checkbox"/> DATA
LEVEL 3	MICROWAVE SAFE	AS CLAIM Comply with microwave exposure test	<input checked="" type="checkbox"/> M <input type="checkbox"/> NM <input type="checkbox"/> NT	<input checked="" type="checkbox"/> GOOD <input type="checkbox"/> UNSAT <input type="checkbox"/> DATA
LEVEL 3	BONE CHINA	AS CLAIM Document was provided	<input checked="" type="checkbox"/> M <input type="checkbox"/> NM <input type="checkbox"/> NT	<input checked="" type="checkbox"/> GOOD <input type="checkbox"/> UNSAT <input type="checkbox"/> DATA
LEVEL 3	20 PIECES ● 4 × Dinner Plates ● 4 × Salad Plates ● 4 × Pasta Bowls ● 4 × Cereal Bowls ● 4 × Fruit Bowls	AS CLAIM	<input checked="" type="checkbox"/> M <input type="checkbox"/> NM <input type="checkbox"/> NT	<input checked="" type="checkbox"/> GOOD <input type="checkbox"/> UNSAT <input type="checkbox"/> DATA

Result Key:

M Meets
NM Does Not Meet
NT Not Tested

ADDITIONAL TEST RESULTS FOR MIKASA KYLER 20PC BONE CHINA

TABLE 1

SAMPLE	DIMENSIONS	WEIGHT	VOLUMETRIC	DEPTH	THICKNESS
A1	C: 11.4cm/4.4in R: 11.6cm Dia x 5.7cm H	155g	C: 354mL / 11.9 fl oz R: 364mL	5.1cm	2-9mm
A2	C: 14.6cm/5.75in R: 15cm Dia x 6.8cm H	287g	C: 724mL / 24.4 fl oz R: 745mL	6cm	3-9mm
A3	C: 20cm/7.9in R: 20.5cm Dia x 5.8cmH	431g	C: 1.15L / 39 fl oz R: 1.16L	5cm	3-9mm
A4	C: 22.6cm/8.9in R: 22.9cm Dia x 2.4cm H	420g	519mL	1.8cm	3-9mm
A5	C: 27.6cm/10.9in R: 27.9cm Dia x 2.7cm H	651g	850mL	2cm	3-9mm

**EXHIBIT
PHOTO(S)**

**Test Report: (8525)105-0340
COSTCO WHOLESALE CORPORATION**

Received Date: April 15, 2025

Report Date: April 24, 2025



A1



A2



A3



A4



A5




BACK




BOTTOM



DESICCANT (1)



DESICCANT (2)



FRONT



Photo 01



Photo 02



Photo 03



Photo 04



Photo 05



Photo 06



Photo 07



Photo 08



Photo 09



Photo 10



Photo 11



Photo 12



Photo 13



Photo 14



Photo 15



Photo 16



Photo 17



Photo 18



Photo 19



Photo 20




Photo 21



Photo 22



Photo 23




Photo 24



Photo 25



Photo 26



Photo 27



Photo 28



SIDE 01



SIDE 02



TOP



Vendor's Declaration on Products Covered by

With reference to ISO 22262-1/ NIOSH 9002/ EPA 600/R-93/116 Part 2.2&2.4
Date:2025/4/16

Costco Item #215738
Product Description MKSA KYLER 20PC DW BONE CHINA COSTCO AU
Name of Applicant Tangshan Yida Industrial Corp.
Address: No.568 North Longze Road, Tangshan, Hebei, China

Please check the appropriate box below;

x We hereby declare that the product specified above **DOES NOT CONTAIN** any of those Asbestos.

CAS#	Chemical name



Gongjie

Name and Signature of Authorized Company Representative

Sales _____
Position _____

Tangshan Yida Industrial Corp.

Company

ts-yida01@vip.163.com

Email

唐山亿达实业有限公司

TANGSHAN YIDA INDUSTRIAL CORP.

地址:中国河北省唐山市龙泽北路 568 号正兴写字楼 6 层

Add: 6TH FLOOR, ZHENGXING OFFICE BUILDING

NO. 568, NORTH LONGZE RD., TANGSHAN, HEBEI, CHINA

TEL: 86-315-3193516 86-315-3193517

86-315-3193519

FAX: 86-315-3193511

POST CODE: 063000

EMAIL: ts-yida01@vip.163.com

LETTER OF GUARANTEE

We, (Tangshan Yida Industrial Corp), guarantee that our test samples 215738 is made of Bone China, We are responsible for our above statement & confirm that you can take it for granted only if under our official signature & company chop.

Signature:



Date: 2025/4/16

Tangshan Yida Industrial Corp.

END OF REPORT